

RESEARCH NOTE

Salinity Tolerance of Rice in Relation To Embryo, Endosperm And Seedling Weight

A. H. GUNADASA

*Central Rice Breeding Station, Batalagoda,
Ibbagamuwa*

Salinity (Inland and Coastal) is one of the major constraints to rice production in Sri Lanka. Rice being a glycophyte, lacks salt glands or other excretory structures and is moderately sensitive to salinity stress. The mechanism of salinity tolerance is complex and rice cultivars respond differently to salinity. It is observed that very high intra-varietal variability of tolerance level among rice cultivars exists, which could be attributed to non-genetic reasons for salinity tolerance.

To understand the parameters that contribute individually to salinity tolerance of rice, an experiment was conducted at the Soil and Water Science Division of the International Rice Research Institute (IRRI), Philippines. Salinity tolerance was investigated in relation to the embryo, endosperm and seedling weights of nine rice cultivars, Basmathi (370), Mahsuri, Pokkali (India), IR 28, IR 29, IR 36, IR 72, IR 37255—21—3—3—2 and IR 37260—6—1—1—1—6—1.

Two hundred seeds from each variety were sown at 2cm×2cm spacing on nylon net floats and the seedlings were raised in culture solution in plastic trays. When the seedlings were 14 days old, they were transplanted at the rate of one plant per hill with 8cm×8cm spacing in plastic trays containing soils of 8 dS/m electrical conductivity. The experiment was laid out in a complete randomized block design with 17 replicates. Salinity tolerance was scored according to the standard evaluation system (SES) followed by the International Rice Research Institute, Philippines after 28 days from the date of transplanting (Table 1). Embryo and endosperm weights were recorded on dry weight basis by oven drying 100 separated endosperms and embryos per variety

at 105°C. Dry weight of 100 seedlings (28 days old) raised on nylon net floats in culture solutions was also recorded. The seedling samples were oven-dried at 60°C until constant weight.

Table 2 gives the salinity tolerance mean score, and embryo, endosperm and seedling weights of the nine varieties tested. A significant negative relationship ($r=-0.76$) was obtained between salinity tolerance mean score and endosperm weight of the varieties tested. On the other hand, no significant correlations were observed between the tolerance mean score and embryo weight or seedling weight. Thus salinity tolerance level is positively related to endosperm weight. This could be attributed to the accumulation of more carbohydrate in the seedlings which originated from the seeds having high endosperm weight and thus resulting in a high tolerance level to salinity. The study shows that seedlings originating from seeds which have high endosperm weight tolerate salinity stress better, when compared to those of low endosperm weight. From this it appears that the endosperm weight could be used as a supplementary selection criterion in rice breeding and screening for salinity stress.

Table 1. Standard scale for evaluation of salinity tolerance mean score

<i>Scale</i>	<i>Symptoms</i>
1	Growth and tillering nearly normal
3	Growth nearly normal but there is some reduction in tillering and some leaves discoloured and rolled
5	Growth and tillering reduced ; most leaves rolled ; only a few elongating
7	Growth completely ceases
9	Almost all plants dead or dying

Adapted from standard evaluation system for rice (The International Rice Research Institute, Philippines.)

Table 2. Salinity tolerance mean score, and embryo, endosperm and seedling weights of the nine rice varieties

<i>Cultivar</i>	<i>Mean score*</i>	<i>Embryo weight (mg)**</i>	<i>Endosperm weight (g)**</i>	<i>Seedling weight (g)***</i>
Basmati (370)	5.65 d	0.22	0.0149	0.096
Mahsuri	5.26 cd	0.19	0.0104	0.126
Pokkali (India)	4.14 ab	0.27	0.0218	0.213
IR 28	4.04 ab	0.30	0.0173	0.156
IR 29	4.83 bc	0.28	0.0157	0.153
IR 36	4.36 ab	0.35	0.0169	0.150
IR 72	4.44 ab	0.33	0.0168	0.094
IR 37255—21—3—3—2	3.77 a	0.32	0.0178	0.118
IR 37260—6—1—1—1—6—1	4.52 abc	0.48	0.0169	0.206

* Means of each variety followed by the same letter are not significantly different at the 0.05 level according to the Duncan's multiple range test.

** Average from 100 seeds

*** Average from 100 seedlings

INSTRUCTIONS TO AUTHORS

Failure to comply with the Instructions to Authors may delay publication

1. GENERAL

- 1.1. Papers will be considered for publication if they make an original contribution towards the promotion and understanding of agriculture in the tropics. Review papers are published only by invitation.
- 1.2. Papers already published or under consideration elsewhere, other than as an abstract of an oral or poster presentation, cannot be accepted.
- 1.3. Manuscripts should be written in *English* and submitted in *duplicate* to:
The Editor
Tropical Agriculturist
Office of the Deputy Director of Agriculture (Research)
P. O. Box 5
1, Sarasavi Mawatha
Peradeniya
Sri Lanka
- 1.4. The Editor will inform the authors about the status of their papers within *six* months of receipt of manuscript.

2. PRESENTATION

- 2.1. The manuscript should be typed in double space on good quality paper with wide margins.
- 2.2. Although a rigid format is not insisted, it is usually convenient to divide the papers into sections such as ABSTRACT, KEY WORDS, INTRODUCTION, MATERIALS AND METHODS, RESULTS, DISCUSSION, CONCLUSIONS, ACKNOWLEDGEMENTS AND REFERENCES.
- 2.3. **TITLE:** The title should be concise and appropriately informative for retrieval by modern searching techniques.
- 2.4. **RUNNING TITLE:** A short title, not exceeding 45 characters, should be provided for the running title.

- 2.5 ABSTRACT: This should state concisely the scope of the work and the principal findings, and should be suitable for direct use by abstracting journals; it should not exceed 200 words.
- 2.6. KEY WORDS: A list of key words not exceeding *six* words chosen from the title, abstract or body of paper should be provided. They should be in alphabetical order and separated by commas.
- 2.7. FOOTNOTES: Footnotes within the text should be used only when essential.
- 2.8. INTRODUCTION: Introductory material including a review of the literature should not exceed what is necessary to indicate the reason for the work and the essential background.
- 2.9. REFERENCES: All references in the text must be listed in alphabetical order by the authors' last name at the end of the paper. Do not number references. Include in references articles that are "in press" (name of journal and anticipated date of publication).
- 2.9.1. Follow the style shown below:
- a. Journal articles
Joachim, A. W. R., S. Kandiah and D. G. Pandithesekera. 1933. Studies on paddy cultivation. 2. The effect of manures on the composition of paddy crop and soil. *Tropical Agriculturist* 81:11—35.
 - b. Books (identical author and editor)
De Datta, S. K. 1981. Principles and practices of rice production. John Wiley and Sons, New York. 618 p.
 - c. Books (edited by someone other than author of article)
Ladd, J. N. 1985. Soil enzymes. *In* Soil Organic Matter and Biological Activity. Eds. D. Vaughan and R. E. Malcolm. pp. 176—221. Martinus Nijhoff publishers, Dordrecht, The Netherlands.
 - d. Thesis
Pieper, R. D. 1963. Production and chemical composition of arctic tundra vegetation and their relation to the lemming cycle. Ph. D. Thesis, Univ. of California, Berkeley. 95 p.

- 2.9.2. References should be cited in the text by the last name of the author and year (Perera, 1988); in the case of two authors, both should be mentioned (Perera and Abeykoon, 1988); but with *three* or more only the name of the first authors plus *et al.* (Perera, *et al.*, 1988) should be given.
- 2.9.3. Incorporate "Manuscript in preparation", "Unpublished data" and "Personal communication" in the text.
- 2.9.4. No editorial responsibility can be taken for the accuracy of the references; authors should check that all references in the text appear at the end of the paper and vice versa and that names and dates correspond in the two places.

3. TABLES AND FIGURES

- 3.1. Tables and figures should be given separately i.e. not inserted in the typed text.
- 3.2. Captions to figures should be collected into one or more separate pages.
- 3.3. Tables should be numbered in the order in which they appear in the text and accompanied by a title. They should be arranged having regard to the dimensions of the printed pages, and the number of columns should be kept to a minimum. Long headings to columns should be avoided by the use of explanatory footnotes. Only in exceptional circumstances will presentation of essentially the same data in tabular and graphical form be permitted; where adequate, the latter form should be used. Short tables can frequently be incorporated into the text as a tabulation or sentence.
- 3.4. FIGURES: Illustrations, both line drawings and half-tones, should be numbered in the order in which they appear in the text. Each figure must be cited in the text.
 - 3.4.1 Line drawings: The originals and one copy of line drawings are required. Originals must be drawn with black ink on white paper or white tracing paper, and should not be lettered or mounted. Copies should be lettered clearly. Authors should note the size of comparable drawings in the recent issues of the Journal and submit originals that allow for reduction in size without loss of detail.

- 3.4.2. **Half-tone illustrations:** Photographic prints for half-tone reproduction must be of the highest quality with a full range of tones and good contrast. They should be neither lettered nor mounted and should be trimmed to exclude features not relevant to the paper. A set of copies should be sent along with separately typed captions for submission to referees.
- 3.4.3. Each figure should be labelled on the back with name of the author, title of paper and number of figure using *soft* lead pencil.
- 3.4.4. Approximate position of tables and figures in the text should be indicated in the left margin.
- 3.4.5. Data presented in tables or figures should not be repeated in the text.
4. **UNITS AND SYMBOLS:** The recommended SI (Systeme Internationale) units and symbols should be used as far as possible.
5. **MATHEMATICAL FORMULAE:** These should be carefully typed with symbols in alignment and adequately spaced. At least two clear lines should be left above and below all displayed equations. If special symbols must be handwritten, they should be inserted with care and identified by pencilled notes in the margins. Judicious use should be made of the solidus (/) to avoid two-line mathematical expressions wherever possible and especially in the running text. All long formulae should be displayed.
6. **SHORT NOTES:** Tropical Agriculturist offers the opportunity to publish short notes not exceeding *three* printed pages (including tables and figures). They might be preliminary results, description of new cultivars, description of new or improved techniques or equipment.
7. **PROOFS AND REPRINTS**
- 7.1. Proofs will be sent to authors for correction. Major alteration of the original text should be avoided. Corrected proofs should be returned to the Editor without delay. Failure to do so will delay publication.
- 7.2. Contributors will receive 50 reprints free of charge.

National Digitization Project

National Science Foundation

Institute : Department of Agriculture

1. Place of Scanning : Department of Agriculture, Peradeniya

2. Date Scanned : 2018/01/23

3. Name of Digitizing Company : Sanje (Private) Ltd, No 435/16, Kottawa Rd,
Hokandara North, Arangala, Hokandara

4. Scanning Officer

Name : N.S. Karunaratna

Signature : Sidhara


Certification of Scanning

I hereby certify that the scanning of this document was carried out under my supervision, according to the norms and standards of digital scanning accurately, also keeping with the originality of the original document to be accepted in a court of law.

Certifying Officer

Designation : Chief Librarian

Name : Saumya Upamalika

Signature : 

Date : 2018/01/23

"This document/publication was digitized under National Digitization Project of the National Science Foundation, Sri Lanka"